CHRIS COLLINS COUNTY EXECUTIVE

DIVISION OF PURCHASE

TO: ALL USING DEPARTMENTS

FROM: Denyse Insalaco-Weatherbee, Buyer

DATE: December 23, 2011

SUBJECT: CONTRACT FOR WELDING AND LAB GASES

BID NO.: 280010-004

The contract for **Welding and Lab Gases** that runs through December 31, 2013. Has a rate increase for the 2012 year. *Please note if any county department received an increase in their bill for November or December, DO NOT PAY IT, PLEASE SHORT PAY IT. The company is aware of their mistake and they are in the process of correcting this. The rate increase begins on January 1, 2012.

For your convenience I have listed the rates for the various gases on the attached sheets.

Please be sure that your department's account number appears on your requisitions.

VENDOR INFORMATION: AIRGAS EAST – VENDOR #100223

1200 Sullivan Street Elmira, NY 14901

Telephone #800-524-7427

Fax #800-333-6523

Local Rep: Russ Loverdi – Telephone #345-0123

DEMURRAGE/ CHARGES: \$1.90 PER CYLINDER PER MONTH

\$4.00 Hazmat Charge – one per month \$25.00 per month – ALL Liquid Cylinders

ACETYLENE SURCHARGE: MC size cylinders: \$1.65 per cylinder

B size: \$2.65 per cylinder Size 3: \$4.75 per cylinder

All other size cylinders: \$4.95 per hundred cubic feet

There will be no delivery charges on any other charges other than the demurrage and hazmat charges.

Diw

Att.

BID NO.: 280010-004

PAGE 1 95 FRANKLIN STREET, ROOME 1254 BUFFALO, NEW YORK 14202

WELDING AND LAB GASES

DESCRIPTION	2011 <u>PRICE PER</u> <u>CU FT.</u>	2012 PRICE PER CU. FT.
1. Acetylene #3	\$.17	\$.1819
2. Acetylene #4	\$.17	\$.1819
3. Acetylene #5 AA Grade	\$.32	\$.3424
4. Acetylene #40	\$.17	\$.1819
5. Acetylene #60	\$.17	\$.1819
6. Acetylene #120-125	\$.17	\$.1819
7. Argon – 75% Argon, 25% Nitrogen– Large (for use with MIG Welder)	\$.10	\$.1070
8. Argon – #135	\$.10	\$.1070
9. Argon UHP	\$.17	\$.1819
10. Argon – 75% Argon 25% CO2 – 138	\$.10	\$.1070
11. Argon – 75% Argon 25% CO2 – 390 (for use with MIG Welder)	\$.10	\$.1070
12. Nitrogen Sgniby 3500 PSI	\$.06	\$.0642
13. Oxygen #20	\$.22	\$.2354
14. Oxygen #80	\$.06	\$.0642
15. Oxygen #122	\$.0321	\$.0535
16. Oxygen #125	\$.05	\$.0535
17. Oxygen #249	\$.05	\$.0535
18. Oxygen #251 – Large	\$.05	\$.0535
19. Tri-Mix 90% Helium, 7 ½% Argon 2 ½% CO2– Large (for welding stainless steel)	\$.24	\$.2568
20. Helium 99.997 HP GR 4.7 – 300 cu ft.	\$.26	\$.2782

COUNTY OF ERIE, STATE OF NEW YORK DIVISION OF PURCHASE BID NO.: 280010-004

PAGE 2 95 FRANKLIN STREET, ROOME 1254 BUFFALO, NEW YORK 14202

<u>DESCRIPTION</u>	2011 PRICE PER CU FT.	2012 PRICE PER CU FT.
21. Ultrapure Carrier Grade Helium 99.9995%	\$.50	\$.5350
22. Liquid Nitrogen PG-50 (LC-3) 2.2	\$.0125	\$.0133
23. Nitrogen UHP 99.999%	\$.19	\$.2033
24. Hydrogen 99.998% Purity	\$.2404	\$.2572
25. Air Industrial or Medical Grade	\$.0514	\$.0549
26. Carbon Dioxide #99.8% Medical Grade	\$.6869	\$.7349
27. 5% Hydrogen in Argon HP-5 Code	\$.2862	\$.3062
28. Nitrous Oxide AA	\$2.862	\$3.062
29. Ultra P5 (5% Methane, 95% Argon Electron Capture Detector Mix – Size 200	\$.2976	\$.3184
30. 15% Oxygen Balance Nitrogen	\$.2575	\$.2755
31. 40% Hydrogen Balance Helium	\$.3549	\$.3797
32. 1% Oxygen 95 PPM Propane. Balance Nitrogen 215 cu. Ft	\$.9960	\$1.065
33. 15% Oxygen Balance Nitrogen 217 cu. Ft.	\$.2575	\$.2755
34. 40% Hydrogen Balance Helium – 195 cu. Ft.	\$.3663	\$.3919

